

CAC Technology 22SA_FEP Semi-Flexible Coaxial Cable, FEP Jacket

Product Code

22SA_FEP

Attenuation @ 1 GHz

0.6603 dB/m

Construction

Semi-Flexible (Hand Formable)

Semi-flexible laboratory-grade microwave cable with blue FEP jacket.



▼ RF Cable Technical Data

▼ RF Performance

Operating Freq. Range	0.00 to 65.00 GHz	Input Impedance	50 Ω
Velocity of Propagation	70.00%	Capacitance	No Data
Shielding Effectiveness	> 100 dB	Max. Operating Voltage	1000 V
Power Handling @ 1 GHz	212.45 W		

▼ Physical Characteristics

Min. Bend Radius (Static)	6.00 mm	Weight	21.00 g/m
Min. Bend Radius (Dynamic)	20.00 mm	Operating Temperature	-65 to 135 °C

▼ Inner Conductor

Material	Silver Plated Copper (SC)	Diameter	1 x 0.51 mm
----------	----------------------------------	----------	-------------

▼ Dielectric

Material	PTFE (Polytetrafluoroethylene)	Diameter	1.68 mm
----------	---------------------------------------	----------	---------

▼ Outer Conductor

Material	Tin Soaked Copper Braid	Diameter	2.16 mm
----------	-------------------------	----------	---------

▼ Jacket

Material	FEP (Fluorinated Ethylene Propylene)	Diameter	2.50 mm
----------	--------------------------------------	----------	---------

Colour	Other - Blue		
--------	--------------	--	--

CAC Electronic Technology

Hefei CAC Electronic Technology Co., Ltd (CAC for short) is committed to the research & development, designing, production and marketing regard to RF Coaxial Connector, Adapter, RF Cable Assembly and RF Components. Being located in Hefei, the city of science and technology of China, having a leading and professional R&D team, CAC has an excellent and long-term cooperation relationship with some universities and research institutes.



Document Generated on March 6, 2021 11:38

Disclaimer: Although care has been taken to ensure the accuracy, completeness and reliability of the information provided, Halberd Bastion assumes no responsibility therefore. The user of the information agrees that the information is subject to change without notice. Halberd Bastion assumes no responsibility for the consequences of use of such information, nor for any infringement of third party intellectual property rights which may result from its use. IN NO EVENT SHALL HALBERD BASTION BE LIABLE FOR ANY DIRECT, INDIRECT, SPECIAL OR INCIDENTAL DAMAGE RESULTING FROM, ARISING OUT OF OR IN CONNECTION WITH THE USE OF THE INFORMATION.